PRENATAL DIAGNOSIS
(*Prenat Diagn*)

Contents

VOLUME 21, ISSUE Nos. 1–13, INCLUDING SPECIAL TOPIC ISSUES

ISSUE NUMBER 1, JANUARY 2001

Original Papers

Attitudes towards reproductive issues and carrier testing among adult patients and parents of children with cystic fibrosis (CF): L. Henneman, I. Bramsen, T. A. M. Van Os, I. E. W. Reuling, H. G. M. Heyerman, J. van der Laag, H. M. van der Ploeg and L. P. ten Kate 1

Prenatal diagnosis of prelingual deafness: carrier testing and prenatal diagnosis of the common GJB2 35delG mutation: T. Antoniadi, A. Pampanos and M. B. Petersen 10

Relationship between gestational age and frequency of fetal trophoblasts and nucleated erythrocytes in maternal peripheral blood: T. Lim, A. S. A. Tan and V. H. H. Goh 14

Enrichment and detection of fetal erythroid cells from maternal peripheral blood using liquid culture: J-Y. Han, Y-H. Lee, S-D. Sin, J-I. Park, I-H. Kim, G-H. Je and G. P. Rodgers 22

Prenatal diagnosis of a familial Xq deletion in a female fetus: a case report: L. Y. Brown, M. L. Alonso, J. Yu, D. Warburton and S. Brown 27

Fetal hemoglobin-expressing nucleated red blood cell frequencies in pregnancies with intrauterine growth restriction: M. J. Simchen, G. Barkai, A. Lusky and E. Guetta 31

Two cases of confined placental mosaicism for chromosome 4, including one with maternal uniparental disomy: B. D. Kuchinka, I. J. Barrett, G. Moya, J. M. Sánchez, S. Langlois, S.-L. Yong, D. K. Kalousek and W. P. Robinson 36

The genetic sonogram: its use in the detection of chromosomal abnormalities in fetuses of women of advanced maternal age: G. R. DeVore 40

Estimates for the sensitivity and false-positive rates for second trimester serum screening for Down syndrome and trisomy 18 with adjustment for cross-identification and double-positive results: P. A. Benn, J. Ying, T. Beazoglou and J. F. X. Egan 46

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis of disorders of fatty acid transport and mitochondrial oxidation: P. Rinaldo, A. L. Studinski and D. Matern 52

Short Communications

SSCP analysis by RT-PCR for the prenatal diagnosis of Niemann-Pick disease type C: H. Tsukamoto, T. Yamamoto, T. Nishigaki, N. Sakai, E. Nanba, H. Ninomiya, K. Ohno, K. Inui and S. Okada 55

Repeat testing in antenatal screening for Down syndrome using dimeric inhibin-A in combination with other maternal serum markers: A. K. Hackshaw and N. J. Wald 58

Prenatal diagnosis of facial clefting as part of the oculo-auriculo-vertebral spectrum: I. Witters, J. Schreurs, J. Van Wing, W. Wouters and J.-P. Fryns 62

Detailed ultrasonographic findings in Greenberg dysplasia: R. Madazli, F. Aksoy, V. Ocak and T. Atasü 65

Prenatal diagnosis of agnathia-holoprosencephaly: three-dimensional imaging by helical computed tomography: Y. Ebina, H. Yamada, E. H. Kato, F. Tanuma, S. Shimada, K. Cho and S. Fujimoto 68

Letters to the Editor 72

Erratum 74

Current Awareness in Prenatal Diagnosis 75

Announcements 82

ISSUE NUMBER 2, FEBRUARY 2001

Fetal Cytogenetics, Molecular Biology and Biochemistry

Follow-up investigations in uncultured amniotic fluid cells after uncertain cytogenetic results: D. Van Opstal, C. van den Berg, R.-J. H. Galjaard and F. J. Los 75

Antenatal genetic screening for congenital nephrosis: J. Kallinen, S. Heinonen, M. Ryynänen, L. Pulkkinen and A. Mannermaa 81

Prenatal diagnosis of congenital toxoplasmosis by duplex real-time PCR using fluorescence resonance energy transfer hybridization probes: J.-M. Costa, P. Ernault, E. Gautier and S. Bretagne 85

Prenatal diagnosis and genetic analysis of type I and type II thanatophoric dysplasia: C.-P. Chen, S.-R. Chern, J.-C. Shih, W. Wang, L.-F. Yeh, T.-Y. Chang and C.-Y. Tzen 89

Acrocentric chromosome polymorphisms: beware of cryptic translocations: B. Benzacken, F. Monier-Gavelle, J. P. Siffroi, P. Agbo, A. Chalvon and J. P. Wolf 96

First-trimester diagnosis of late-infantile neuronal ceroid lipofuscinosis (LINCL) by tripeptidyl peptidase I assay and CLN2 mutation analysis: W. J. Kleijer, O. P. van Diggelen, J. L. M. Keulemans, M. Losekoot, V. H. Garritsen, H. Stroink, D. Majoor-Krakauer, P. F. Franken, M. C. M. Eurlings, P. E. M. Taschner, F. J. Los and R. J. H. Galjaard 99

Prenatal diagnosis of mosaic ring chromosome 13 with anencephaly: C.-P. Chen, S.-R. Chern, C.-C. Lee, W.-L. Chen and W. Wang 102

Fetal Cells in the Maternal Circulation

Use of the Kleihauer test to detect fetal erythroblasts in the maternal circulation: V. Martel-Petit, C. Petit, M. Marchand, A. Fleurentin, B. Fontaine, A. Miton, P. Lemarie, C. Philippe and P. Jonveaux 106

Fetal Imaging

Prenatal measurement of testicular diameter by ultrasonography: development of fetal male gender and evaluation of testicular descent: M. Rotondi, F. Valenzano, E. Bilancioni, G. Spanò, M. Rotondi and C. Giorlandino 112

Sex-related differences in the development of the human fetal corpus callosum: *in-utero* ultrasonographic study: R. Achiron, S. Lipitz and A. Achiron 116

Fetal varicella-herpes zoster syndrome in early pregnancy: ultrasonographic and morphological correlation: P. Petignat, Y. Vial, R. Laurini and P. Hohlfeld 121

Antenatal sonographic findings of right pulmonary agenesis with ipsilateral microtia: a possible new laterality association: R. Maymon, D. Schneider, J. Hegesh, A. Herman, Z. Weinraub and R. Achiron 125

Pathology of the Fetus and Placenta

Outcome of fetal urinary tract anomalies associated with multiple malformations and chromosomal abnormalities: E. A. Oliveira, A. C. V. Cabral, A. K. Pereira, I. N. Machado, J. S. S. Diniz, A. M. A. Lana and L. K. O. Cunha 129

Fetal Therapy

Selective feticide of an affected fetus in the second trimester has comparable risks to those in the first trimester: A. J. Antsaklis, P. Drakakis, G. P. Vlazakis and S. Michalas 135

Maternal Screening

Quality of written information used in Down syndrome screening: J. Murray, H. Cuckle, I. Sehmi, C. Wilson and A. Ellis 138

Maternal serum human chorionic gonadotropin levels in systemic lupus erythematosus and antiphospholipid syndrome: R. Maymon, H. Cuckle, I. K. Sehmi, A. Herman and D. Sherman 143

Psychosocial Aspects

Use of videotapes for viewing at home to inform choice in Down syndrome screening: a randomised controlled trial: J. Hewison, H. Cuckle, C. Baillie, I. Senmi, S. Lindow, F. Jackson and J. Batty 146

Current Awareness in Prenatal Diagnosis 150

Announcements 157

ISSUE NUMBER 3, MARCH 2001

Fetal Cytogenetics, Molecular Biology and Biochemistry

Prenatal diagnosis of malignant osteopetrosis in Bedouin families by linkage analysis: *H. Shalev, A. Mishori-Dery, J. Kapelushnik, A. Moser, V. C. Sheffield, A. McClain and R. Carmi* 183

Assessment of fetal status in multiple gestation pregnancies using interphase FISH: *M. Fiddler, M. C. Frederickson, P. X. Chen and E. Pergament* 196

Prenatal diagnosis of hereditary spastic paraplegia: *P. Hedera, J. A. Williamson, S. Rainier, D. Alvarado, T. Tukel, M. Apak and J. K. Fink* 202

Dehydro-oestriol and dehydropregnanetriol are candidate analytes for prenatal diagnosis of Smith-Lemli-Opitz syndrome: *C. H. L. Shackleton, E. Roitman, L. Kratz and R. Kelley* 207

Interphase FISH with chromosome-specific protelomere probes for rapid prenatal diagnosis in a reciprocal translocation carrier: *P. D. Cotter and T. J. Musci* 171

Prenatal diagnosis of oculocutaneous albinism two mutations located at the same allele: *Y.-Y. Hsieh, J.-Y. Wu, C.-C. Chang, F.-J. Tsai, C.-C. Lee, H.-D. Tsai and C.-H. Tsai* 200

Fetal Cells in the Maternal Circulation

Prenatal diagnosis on fetal cells from maternal blood: practical comparative evaluation of the first and second trimesters: *M. Rodriguez de Alba, P. Palomino, C. González-González, I. Lorda-Sanchez, M. A. Ibañez, R. Sanz, J. M. Fernández-Moya, C. Ayuso, J. Diaz-Recasens and C. Ramos* 165

Optimization of nucleated red blood cell (NRBC) recovery from maternal blood collected using both layers of a double density gradient: *B. Prieto, R. Alonso, A. Paz, M. Cándenas, R. Venta, J. H. Ladenson and F. V. Alvarez* 187

Fetal Imaging

The application of fetal magnetocardiography (FMCG) to investigate fetal arrhythmias and congenital heart defects (CHD): *C. Kähler, B. Grimm, E. Schleussner, A. Schneider, U. Schneider, H. Nowak, L. Vogt and H.-J. Seewald* 176

Preimplantation Genetics and Diagnosis

Preimplantation genetic diagnosis for sickle-cell anemia and for β-thalassemia: *M. De Rycke, H. Van de Velde, K. Sermon, W. Lissens, A. De Vos, M. Vandervorst, A. Vanderfaeillie, A. Van Steirteghem and I. Liebaers* 214

A successful strategy for preimplantation genetic diagnosis of myotonic dystrophy using multiplex fluorescent PCR: *W. Piyamongkol, J. C. Harper, J. K. Sherlock, A. Doshi, P. F. Serhal, J. D. A. Delhanty and D. Wells* 223

Maternal Screening

Preliminary data on an association between blood groups and serum markers used for the so-called 'triple screening': free oestriol MoM values are decreased in rhesus-negative (Rh−) women: *U. Sancken and I. Bartels* 194

Psychosocial Aspects

Knowledge of Down syndrome in pregnant women from different ethnic groups: *V. N. Chilaka, J. C. Konje, C. R. Stewart, H. Narayan and D. J. Taylor* 159

Letters to the Editor 233

Current Awareness in Prenatal Diagnosis 235

Announcements 242

ISSUE NUMBER 4, APRIL 2001

Fetal Cytogenetics

FISH for rapid detection of aneuploidy: experience in 911 prenatal cases: *S. Weremowicz, D. J. Sandstrom, C. C. Morton, C. A. Niedzwiecki, M. McH. Sandstrom and F. R. Bieber* 262

Prenatal diagnosis using interphase fluorescence *in situ* hybridization (FISH): 2-year multi-center retrospective study and review of the literature: *J. Tepperberg, M. J. Pettenati, P. N. Rao, C. M. Lese, D. Rita, H. Wyandt, S. Gersen, B. White and M. M. Schoonmaker* 293

Role of amniotic fluid interphase fluorescence *in situ* hybridization (FISH) analysis in patient management: *W. C. Leung, D. Chitayat, G. Seaward, R. Windrim, G. Ryan, J. Barrett and E. J. T. Winsor* 327

Fetal Molecular Biology and Biochemistry

Prenatal RHD gene determination and dosage analysis by PCR: clinical evaluation: *F.-Y. Chan, N. M. Cowley, L. Wolter, M. Stone, F. Carmody, A. Saul and C. A. Hyland* 321

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis of galactose-1-phosphate uridyltransferase (GALT)-deficient galactosemia: *L. J. Elsas* 302

AZFc deletion detected in a newborn with prenatally diagnosed Yq deletion: *A. Toth, E. P. Tardy, S. Gombos, K. Hajdu, J. Bátorfi and C. Krausz* 253

Denaturing high-performance liquid chromatography (DHPLC)-based prenatal diagnosis for tuberous sclerosis: *P. Benit, J.-P. Bonnefont, A. K. Mostefa, C. Francannet, A. Munnich and P. F. Ray* 279

Fetal Imaging

Evaluation of prenatal diagnosis of associated congenital heart diseases by fetal ultrasonographic examination in Europe: *C. Stoll, E. Garne, M. Clementi and EUROSCAN study group* 243

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis of pulmonary hypoplasia: *A. Roberts* 304

Short Communications

Deletion 15q24-26 in prenatally detected diaphragmatic hernia: increasing evidence of a candidate region for diaphragmatic development: *D. Schlembach, M. Zenker, U. Trautmann, R. Ulmer and E. Beinder* 289

Prenatal evaluation of fetal neck masses in preparation for the EXIT procedure: the value of pulmonary Doppler ultrasonography (PDU): *K. D. Kalache, B. Masturzo, A. Pierro, D. Peebles and L. S. Chitty* 308

Klippel–Trenaunay–Weber (KTW) syndrome: the use of *in utero* magnetic resonance imaging (MRI) in a prospective diagnosis: *W. L. Martin, K. M. K. Ismail, V. Brace, L. McPherson, S. Chapman and M. D. Kilby* 311

Increased nuchal translucency as a prenatal manifestation of congenital adrenal hyperplasia: *B. Masturzo, J. A. Hyett, K. D. Kalache, G. Rumsby, E. Jauniaux and C. H. Rodeck* 314

Prenatal diagnosis of *de novo* distal 11q deletion associated with sonographic findings of unilateral duplex renal system, pyelectasis and orofacial clefts: *C.-P. Chen, S.-R. Chern, C.-Y. Tzen, M.-S. Lee, C.-W. Pan, T.-Y. Chang and W. Wang* 317

Pathology of the Fetus and Placenta

An umbilical cord teratoma in a 17-week-old fetus: *D. C. L. Satgé, M.-A. Laumond, F. Desfarges and M.-P. R. Chenard* 284

Fetal Therapy

Prenatal diagnosis of congenital nephrosis by *in utero* kidney biopsy: *R. J. Wapner, T. M. Jenkins, N. Silverman, M. Kaufmann, C. Hannau and P. McCue* 256

Intrauterine rescue transfusion in monochorionic multiple pregnancies with recent single intrauterine death: *S. Tanawattanacharoen, M. J. O. Taylor, E. A. Letsky, P. M. Cox, F. M. Cowan and N. M. Fisk* 274

Maternal Screening

Maternal serum levels of total activin-A in first-trimester trisomy 21 pregnancies: *K. Spencer, A. W. Liao, H. Skentou, C. YT. Ong and K. H. Nicolaides* 270

Current Awareness in Prenatal Diagnosis 333

Announcements 340

ISSUE NUMBER 5, MAY 2001

Fetal Cytogenetics

Prenatal diagnosis of partial monosomy 18p(18p11.2→pter) and trisomy 21q(21q22.3→qter) with alobar holoprosencephaly and premaxillary agenesis: *C.-P. Chen, S.-R. Chern, W. Wang, C.-C. Lee, W.-L. Chen, L.-F. Chen, T.-Y. Chang and C.-Y. Tzen* 346

Prenatal diagnosis of mosaic tetrasomy 5p: *J. P. Park, K. H. Barefoot, K. Ornvold, S. Z. Berg, J. R. Dossu and T. K. Mohandas* 351

Non-mosaic trisomy 20 presenting at 21 weeks' gestation as a thoraco-abdominal mass: *R. W. Driggers, H. Bernstein, M. Lantz, G. Stetten, C. S. Escallon, E. Perlman and K. J. Blakemore* 387

Fetal Molecular Biology and Biochemistry

Prenatal detection of free sialic acid storage disease: genetic and biochemical studies in nine families: *P. Salomäki, N. Aula, V. Juvonen, M. Renlund and P. Aula* 354

Alpha-thalassaemia prenatal diagnosis by two PCR-based methods: *M. Kleanthous, K. Kyriacou, A. Kyrri, E. Kalogerou, PH. Vassiliades, A. Drousiotou, I. Kallikas, P. Ioannou and M. Angastiniotis* 413

Fetal Cells in the Maternal Circulation

Detection of Y chromosome-specific DNA in the plasma and urine of pregnant women using nested polymerase chain reaction: *M. K. Al-Yatama, A. S. Mustafa, S. Ali, S. Abraham, Z. Khan and N. Khaja* 399

Magnetic-activated cell sorting (MACS) significantly decreases the hybridization efficiency of fluorescence *in situ* hybridization (FISH): *P.-L. Kuo and H.-R. Guo* 359

Fetal Imaging

Detection of Jarcho–Levin syndrome at 12 weeks' gestation by nuchal translucency screening and three-dimensional ultrasound: *A. D. Hull, G. James and D. H. Pretorius* 390

Does a 'notched' nuchal translucency indicate Down syndrome fetuses or other adverse pregnancy outcome? *R. Maymon, E. Dreazen, I. Buckovsky, Z. Weinraub and A. Herman* 403

Prenatal findings on ultrasound and X-ray in a case of overgrowth syndrome associated with increased nuchal translucency: *P. Schwärzler, T. Homfray, S. Campbell and Y. Ville* 341

Mesomelic campomelia, polydactyly and Dandy–Walker cyst in siblings: *M. Guschmann, D. Horn, M. Entezami, M. Urban, S. Hänel, J. Kunze and M. Vogel* 378

Fetal Infections

Prenatal diagnosis of congenital cytomegalovirus infection in 189 pregnancies with known outcome: *G. Enders, U. Bäder, L. Lindemann, G. Schalasta and A. Daiminger* 362

Maternal Screening

Biochemical screening for chromosomal disorders and neural tube defects (NTD): is adjustment of maternal alpha-fetoprotein (AFP) still appropriate in insulin-dependent diabetes mellitus (IDDM)?: *U. Sancken and I. Bartels* 383

Confined placental mosaicism for trisomy 14 and maternal uniparental disomy in association with elevated second trimester maternal serum human chorionic gonadotrophin and third trimester fetal growth restriction: *D. R. Towner, L. G. Shaffer, S. P. Yang and D. D. Walgenbach* 395

Epidemiology and Environmental Factors

Antenatal gene tests in low-risk pregnancies: molecular screening for aspartylglucosaminuria (AGU) and infantile neuronal ceroid lipofuscinosis (INCL) in Finland: *J. Kallinen, S. Heinonen, A. Palotie, A. Mannermaa and M. Ryynanen* 409

Letters to the Editor 418

Erratum 425

Announcements 426

Current Awareness in Prenatal Diagnosis 427

ISSUE NUMBER 6, JUNE 2001

Fetal Cytogenetics

Prenatal diagnosis of complete sole trisomy 1q: *M. J. Pettenati, M. Berry, V. Shashi, J. H. Bowen and M. Harper* . . 435

Prenatal diagnosis of two rare *de novo* structural aberrations of the Y chromosome: cytogenetic and molecular analysis: *V. Velissariou, T. Antoniadi, P. Patsalis, S. Christopoulou, A. Hatzipouliou, J. Donoghue, K. Bakou, P. Kaminopetros, V. Athanassiou and M. B. Petersen* 484

Prenatal diagnosis of mosaicism for triploidy and trisomy 13: *M. C. Phelan, R. C. Rogers, R. C. Michaelis, C. L. Moore and W. Blackburn* 457

Short Communications

Complete karyotype discrepancy between placental and fetal cells in a case of ring chromosome 18: *W. Fischer, A. Dermitzel, R. Osmers and M. Pruggmayer* 481

Prenatal diagnosis of a *de novo* supernumerary marker derived from chromosome 16: *M. Hengstschläger, D. Bettelheim, R. Drahonsky, J. Deutinger and G. Bernaschek* 477

Fetal Imaging

Familial orofaciodigital syndrome type I revealed by ultrasound prenatal diagnosis of porencephaly: *C. Thauvin-Robinet, T. Rousseau, C. Durand, N. Laurent, C. Maingueneau, L. Faivre, P. Sagot and A. Nivelon-Chevallier* 466

Preimplantation Genetics and Diagnosis

A comparison of different lysis buffers to assess allele dropout from single cells for preimplantation genetic diagnosis: *A. R. Thornhill, J. A. McGrath, R. A. J. Eady, P. R. Braude and A. H. Handyside* 490

Allele-specific amplification for preimplantation genetic diagnosis (PGD) of spinal muscular atrophy: *C. Moutou, N. Gardes, C. Rongières, J. Ohl, K. Bettahar-Lebugle, C. Wittemer, P. Gerlinger and S. Viville* 498

Preimplantation genetic diagnosis of the fragile X syndrome by use of linked polymorphic markers: *A. Apessos, P. M. Abou-Sleiman, J. C. Harper and J. D. A. Delhanty* 504

Pathology of the Fetus and Placenta

Pulmonary stenosis and reactive right ventricular hypertrophy in the recipient fetus as a consequence of twin-to-twin transfusion: *T. Marton, J. Hajdú, C. Papp, P. Patkós, E. Hruby and Z. Papp* 452

Fetal Therapy

Rapid and radical aminodrainage in the treatment of severe twin–twin transfusion syndrome: *E. Jauniaux, A. Holmes, J. Hyett, R. Yates and C. Rodeck* 471

Maternal Screening

Between pregnancy biological variability of first trimester markers of Down syndrome: implications for screening in subsequent pregnancies: *K. Spencer* 445

Maternal serum levels of dimeric inhibin A in pregnancies affected by trisomy 21 in the first trimester: *K. Spencer, A. W. Liao, C. Y. T. Ong, L. Geerts and K. H. Nicolaides* 441

Psychosocial Aspects

Prenatal diagnosis of sex chromosome aneuploidy: possible reasons for high rates of pregnancy termination: *M. Sagi, V. Meiner, N. Reshef, J. Dagan and J. Zlotogora* 461

Attitude of Saudi families affected with hemoglobinopathies towards prenatal screening and abortion and the influence of religious ruling (Fatwa): *F. S. Alkuraya and R. A. Kilani.* 448

Letters to the Editor 512

Announcements 514

Current Awareness in Prenatal Diagnosis 515

ISSUE NUMBER 7, JULY 2001

Fetal Cytogenetics

Karyotypes found in the population declared at increased risk of Down syndrome following maternal serum screening: *R. G. Ryall, D. Callen, R. Cocciolone, A. Duvnjak, R. Esca, N. Frantzis, E. M. Gjerde, E. A. Haan, T. Hocking, G. Sutherland, D. W. Thomas and F. Webb* 553

Two unbalanced segregation products due to a maternal t(7;16)inv(16): *B. Leegte, B. Sikkema-Raddatz, R. Hordijk, I. Davelaar, A. van der Veen and J. Cobben* 550

Fetal Molecular Biology and Biochemistry

Prenatal evaluation of fetal renal function based on serum $beta_2$-microglobulin assessment: *V. Ciardelli, N. Rizzo, A. Farina, M. Vitarelli, P. Boni and L. Bovicelli* 586

Prenatal diagnosis of respiratory chain deficiency by direct mutation screening: *J. Amiel, N. Gigarel, A. Benacki, P. Benit, I. Valnot, B. Parfait, J.-C. Von Kleist-Retzow, V. Raclin, S. Hadj-Rabia, Y. Dumez, P. Rustin, J.-P. Bonnefont, A. Munnich and A. Rötig* 602

A rapid and quantitative mass spectrometry method for determining the concentration of acylcarnitines and aminoacids in amniotic fluid: *L. Braida, S. Crovella, M. Boniotto, A. Luchesi, U. de Vonderweid, B. Casetta and A. Amoroso* . . . 543

Fetal Cells in the Maternal Circulation

Embryonic and fetal globins are expressed in adult erythroid progenitor cells and in erythroid cell cultures: *E. T. Lau, Y. K. Kwok, D. H. K. Chui, H. S. Wong, H. Y. Luo and M. H. Y. Tang* . . . 529

Microsatellite analysis provides efficient confirmation of fetal trophoblast isolation from maternal circulation: *Y. Koumantaki, S. Sifakis, G. Dragatis, I. Matalliotakis, G. Froudarakis, E. Papadopoulou and E. Koumantakis* . . . 566

Fetal Imaging

Early ultrasound diagnosis of Neu-Laxova syndrome: *M. E. Rode, M. T. Mennuti, R. M. Giardine, E. H. Zackai and D. A. Driscoll* . . . 575

Restrictive dermopathy and fetal behaviour: *E. J. H. Mulder, F. A. Beemer and Ph. Stoutenbeek* . . . 581

Isolated mild fetal cerebral ventriculomegaly: a retrospective analysis of 26 cases: *A. Mercier, D. Eurin, P. Y. Mercier, E. Verspyck, L. Marpeau and S. Marret* . . . 589

Three- versus two-dimensional ultrasound for nuchal translucency thickness measurements: comparison of feasibility and levels of agreement: *W. Eppel, C. Worda, P. Frigo and A. Lee* . . . 596

In utero sonographic diagnosis of a communicating enteric duplication cyst in a giant omphalocele: *J.-J. Tseng, M.-M. Chou and E. Shih-Cho Ho* . . . 540

Pathology of the Fetus and Placenta

Derivated fetal haemoglobin as a marker for red cell age in the human fetus reflecting stimulated or impaired red blood cell production: *M. Huisman, J. Egberts and J. van Loon* . . . 523

Prenatal diagnosis in three cases of iniencephaly with unusual postmortem findings: *S. Balcı, E. Aypar, G. Altınok, K. Boduroğlu and M. S. Beksaç* . . . 558

Fetal Therapy

First trimester screening for Down syndrome and assisted reproduction: no basis for concern: *K. R. Wøjdemann, S. O. Larsen, A. Shalmi, K. Sundberg, M. Christiansen and A. Tabor* . . . 563

Maternal Screening

First trimester PAPP-A in the detection of non-Down syndrome aneuploidy: *Y. Ochshorn, M. J. Kupferminc, I. Wolman, A. Orr-Urtreger, A. J. Jaffa and Y. Yaron* . . . 547

Maternal serum activin A and inhibin A in trisomy 18 pregnancies at 10–14 weeks: *K. Spencer, A. W. Liao, C. Y. T. Ong, N. J. Flack and K. H. Nicolaides* . . . 571

Errata . . . 605

Current Awareness in Prenatal Diagnosis . . . 606

ISSUE NUMBER 8, AUGUST 2001

Fetal Cytogenetics

Cytogenetic analysis of trophoblasts by comparative genomic hybridization in embryo-fetal development anomalies: *A. C. Tabet, A. Aboura, M. C. Dauge, F. Audibert, A. Coulomb, A. Batallan, M. H. Couturier-Turpin, G. Feldmann and G. Tachdjian* . . . 613

Fetal cells in the uterine cervix: a source for early non-invasive prenatal diagnosis: *M. D. Fejgin, R. Diukman, Y. Cotton, G. Weinstein and A. Amiel* . . . 619

Prenatal diagnosis of a homologous Robertsonian translocation involving chromosome 15: *D. J. Abrams, A. R. Aronoff, S. A. Berend, B. B. Roa, L. G. Shaffer and M. R. Geier* . . . 676

Pre- and perinatal findings in partial trisomy 7q resulting from balanced parental translocations t(7;21) and t(4;7): *W. Courtens, S. Vroman, J. Vandenhove, U. Wiedemann and A. Schinzel* . . . 642

Fetal Molecular Biology and Biochemistry

Carbamoyl phosphate synthetase I deficiency: molecular genetic findings and prenatal diagnosis: *T. Aoshima, M. Kajita, Y. Sekido, S. Mimura, A. Itakura, I. Yasuda, T. Saheki, K. Watanabe, K. Shimokata and T. Niwa* . . . 634

Prenatal diagnosis of Pelizaeus-Merzbacher disease: detection of proteolipid protein gene duplication by quantitative fluorescent multiplex PCR: *S. Regis, M. Filocamo, R. Mazzotti, R. Cusano, F. Corsolini, G. Bonuccelli, M. Stroppiano and R. Gatti* . . . 668

Fetal Imaging

Reliability of prenatal sonographic lung biometry in the diagnosis of pulmonary hypoplasia: *K.-S. Heling, C. Tennstedt, R. Chaoui, K. D. Kalache, J. Hartung and R. Bollmann* . . . 649

The fetal cerebellar vermis: normal development as shown by transvaginal ultrasound: *G. Malinger, S. Ginath, T. Lerman-Sagie, N. Watemberg, D. Lev and M. Glezerman* . . . 687

Invited Commentary: Current Issues in Obstetrics and Genetics

Mild ventriculomegaly in the fetus, natural history, associated findings and outcome of isolated mild ventriculomegaly: a literature review: *E. N. Kelly, V. M. Allen, G. Seaward, R. Windrim and G. Ryan* . . . 697

Short Communications

Two- and three-dimensional ultrasound in malformations of the medullary canal: report of four cases: *F. Bonilla-Musoles, L. E. Machado, N. G. Osborne, E. A. Muñoz, F. Raga, J. Blanes and F. Bonilla Jr* 622

The effect of fetal gender on nuchal translucency at 10–14 weeks of gestation: *Y. H. Lam, M. H. Y. Tang, C. P. Lee, S. Y. Sin, R. Tang, H. S. Wong and S. F. Wong* 627

Prenatal sonographic appearance of Beare-Stevenson cutis gyrata syndrome: two- and three-dimensional ultrasonographic findings: *T.-Y. Hsu, S.-Y. Chang, T.-J. Wang, C.-Y. Ou, Z.-H. Chen and P.-H. Hsu* 665

Trisomy 10: ultrasound features and natural history after first trimester diagnosis: *M. L. Brizot, R. Schultz, L. T. Patroni, L. M. Lopes, E. Armbruster-Moraes and M. Zugaib* 672

Fetal Therapy

Changes in fetal heart rate pattern after intrauterine paracentesis in one twin with meconium peritonitis: *W. C. Leung, P. Pandya, G. Seaward, R. Windrim and G. Ryan* 693

Maternal Screening

Original Papers

Measurement of inhibin A: a modification to an enzyme-linked immunosorbent assay: *P. P. Thirunavukarasu and E. M. Wallace* 638

Second-trimester maternal serum alpha-fetoprotein (MSAFP) is elevated in women with adverse pregnancy outcome associated with inherited thrombophilias: *Y. Ochshorn, M. J. Kupferminc, A. Eldor, I. Wolman, J. B. Lessing and Y. Yaron* 658

The effect of fetal gender on second-trimester maternal serum inhibin-A concentration: *Y. H. Lam and M. H. Y. Tang* . 662

Second trimester maternal serum analytes in triploid pregnancies: correlation with phenotype and sex chromosome complement: *P. A. Benn, A. Gainey, C. J. Ingardia, J. F. Rodis and J. F. X. Egan* 680

Short Communication

Expected, prenatally discovered, and born cases of Down syndrome in Denmark during the period 1980–1998: *S. O. Larsen, J. Hansen and B. N. Pedersen* 630

Letters to the Editor 701

Current Awareness in Prenatal Diagnosis 707

ISSUE NUMBER 9, SEPTEMBER 2001

Fetal Molecular Biology and Biochemistry

Prenatal diagnosis of ATR-X syndrome in a fetus with a new G>T splicing mutation in the XNP ATR-X gene: *M. Fichera, M. Silengo, A. Spalletta, M. L. Giudice, C. Romano and A. Ragusa* 747

Fetal Imaging

Fetal magnetic resonance imaging (MRI) of ischemic brain injury: *J. de Laveaucoupet, F. Audibert, F. Guis, C. Rambaud, B. Suarez, C. Boithias-Guérot and D. Musset* 729

Nuchal translucency thickness and outcome in chromosome translocation diagnosed in the first trimester: *W. Sepulveda, C. Be, R. Youlton, E. Carstens and M. Reyes* 726

Preimplantation Genetics and Diagnosis

Preimplantation genetic diagnosis of pericentric inversions: *T. Escudero, M. Lee, J. Stevens, M. Sandalinas and S. Munné* 760

Aspects of biopsy procedures prior to preimplantation genetic diagnosis: *A. De Vos and A. Van Steirteghem* . . . 767

Clinical outcome of treatment cycles using preimplantation genetic diagnosis for structural chromosomal abnormalities: *M. Fridström, L. Ährlund-Richter, E. Iwarsson, H. Malmgren, J. Inzunza, B. Rosenlund, P. Sjöblom, M. Nordenskjöld, E. Blennow and O. Hovatta* 781

Preimplantation genetic diagnostic protocols for α- and β-thalassaemias using multiplex fluorescent PCR: *W. Piyamongkol, J. C. Harper, J. D. A. Delhanty and D. Wells* 753

Maternal Screening

First trimester maternal serum placenta growth factor (PlGF) concentraticns in pregnancies with fetal trisomy 21 or trisomy 18: *K. Spencer, A. W. Liao, C. Y. T. Ong, L. Geerts and K. H. Nicolaides* 718

Assessment of the value of reporting partial screening results in prenatal screening for Down syndrome: *A. K. Hackshaw and N. J. Wald* 737

Inaccurate estimation of risk in second trimester serum screening for Down syndrome among women who have already had first trimester screening: *A. K. Hackshaw and N. J. Wald* 741

Screening for trisomy 21 in twin pregnancies in the first trimester: does chorionicity impact on maternal serum free β-hCG or PAPP-A levels?: *K. Spencer* 715

First-trimester maternal serum human thyroid-stimulating hormone in chromosomally normal and Down syndrome pregnancies: *M. J. N. Weinans, J. J. Pratt, B. T. H. M. de Wolf and A. Mantingh* 723

Letters to the Editor 788

Current Awareness in Prenatal Diagnosis 794

ISSUE NUMBER 10, OCTOBER 2001

Fetal Cytogenetics

Original papers

Maternal uniparental heterodisomy for chromosome 2: detection through 'atypical' maternal AFP hCG levels, with an update on a previous case: *J. Wolstenholme, I. White, S. Sturgiss, J. Carter, N. Plant and J. A. Goodship* . . . 813

Familial X centromere variant resulting in false-positive prenatal diagnosis of monosomy X by interphase FISH: *K. Tsuchiya, M. G. Schueler and V. G. Dev* . . . 852

Prenatal diagnosis of multiple acyl-CoA dehydrogenase deficiency: association with elevated α-fetoprotein and cystic renal changes: *C. A. Chisholm, F. Vavelidis, M. A. Lovell, L. Sweetman, C. R. Roe, D. S. Roe, F. E. Frerman and W. G. Wilson* 856

Maternal UPD 20 in an infant from a pregnancy with mosaic trisomy 20: *I. S. Salafsky, S. N. MacGregor, U. Claussen and F. von Eggeling* . . . 860

FISH analysis of fetal nucleated red blood cells from CVS washings in cases of aneuploidy: *G. H. Schuring-Blom, J. M. N. Hoovers, J. M. M. van Lith, A. C. Knegt and N. J. Leschot* . . . 864

Short Communication

Identification of a small supernumerary marker chromosome, r(2)(p10q11.2), and the problem of determining prognosis: *N. Villa, P. Riva, D. Colombo, E. Sala, S. Mariani, C. Zorloni, F. Crosti and L. Dalprà* . . . 801

Fetal Molecular Biology and Biochemistry

Prenatal diagnosis of NADH:ubiquinone oxidoreductase deficiency: *L. E. M. Niers, J. A. M. Smeitink, J. M. F. Trijbels, R. C. A. Sengers, A. J. M. Janssen and L. P. van den Heuvel* . . . 871

Evaluation of a fetus at risk for dihydropteridine reductase deficiency by direct mutation analysis using denaturing gradient gel electrophoresis: *H. S. Kalkanoğlu, A. Romstad, T. Coşkun and F. Güttler.* . . . 868

Prenatal diagnosis in Coffin-Lowry syndrome demonstrates germinal mosaicism confirmed by mutation analysis: *D. Horn, J.-P. Delaunoy and J. Kunze* . . . 881

Novel mutations in the human *CYP21* gene: *A. Levo and J. Partanen* . . . 885

Fetal Cells in the Maternal Circulation

Novel feto-specific mRNA species suitable for identification of fetal cells from the maternal circulation: *K. Boye, D. M. Hougaard, P. Ebbesen, J. Vuust and M. Christiansen* . . . 806

Fetal and maternal progenitor cells in co-culture respond equally to erythropoietin: *R. M. Bohmer, K. L. Johnson and D. W. Bianchi* . . . 818

Fetal nucleated red blood cells from CVS washings: an aid to development of first trimester non-invasive prenatal diagnosis: *L. Voullaire, P. Ioannou, S. Nouri and R. Williamson* . . . 827

Fetal Imaging

Amnion rupture sequence in a first trimester missed abortion: *T. Philipp and D. K. Kalousek* . . . 835

Semilobar holoprosencephaly in a 46,XY female fetus: *I. Witters, P. Moerman, M. Muenke, F.-A. Van Assche, K. Devriendt, E. Legius, D. Van Schoubroeck and J.-P. Fryns* . . . 839

Cerebro-costo-mandibular syndrome in a father and a female fetus: early prenatal ultrasonographic diagnosis and autosomal dominant transmission: *G. Morin, J. Gekas, P. Naepels, J. Gondry, B. Devauchelle, S. Testelin, H. Sevestre, F. Thépôt and M. Mathieu* . . . 890

Pathology of the Fetus and Placenta

Myomectomy during the first trimester associated with fetal limb anomalies and hydrocephalus in a twin pregnancy: *E. Danzer, W. Holzgreve, C. Batukan, P. Miny, S. Tercanli and I. Hoesli* . . . 848

Fetal Therapy

Successful intrauterine shunting of a sacrococcygeal teratoma (SCT) causing fetal bladder obstruction: *J.-M. Jouannic, M. Dommergues, F. Auber, R. Bessis, C. Nihoul-Fekete and Y. Dumez* . . . 824

Psychosocial Aspects

Prenatal diagnosis for women aged 37 years and over: to have or not to have: *J. L. Halliday, R. Warren, G. McDonald, P. L. Rice, R. J. Bell and L. F. Watson* . . . 842

Letters to the Editor . . . 894

Current Awareness in Prenatal Diagnosis . . . 900

ISSUE NUMBER 11, SPECIAL TOPIC ISSUE, NOVEMBER 2001

Editorial: *C. H. Rodeck* . . . 907

Reviews

Normal and abnormal development of the urogenital tract: *P. M. Cuckow, P. Nyirady and P. D. Winyard* . . . 908

Animal models of fetal renal disease: *C. A. Peters* . . . 917

Dysplastic and polycystic kidneys: diagnosis, associations and management: *P. Winyard and L. Chitty* . . . 924

Mild pyelectasis: *T. Chudleigh* 936

Pathophysiology, diagnosis and management of prenatal upper tract dilatation: *P. D. E. Mouriquand, M. Whitten and J.-P. Pracros* 942

Duplex systems: *S. M. Whitten and D. T. Wilcox* 952

Enlarged fetal bladders: aetiology, management and outcome: *J. McHugo and M. Whittle* 958

Invasive assessment of fetal renal abnormalities: urinalysis, fetal blood sampling and biopsy: *U. Nicolini and F. Spelzini* 964

In utero therapy for lower urinary tract obstruction: *S. K. Agarwal and N. M. Fisk* 970

Non-visualisations of the fetal bladder: aetiology and management: *D. T. Wilcox and L. S. Chitty* 977

Postnatal investigation of fetal renal disease: *R. de Bruyn and I. Gordon* 984

Fetal renal anomalies and genetic syndromes: *D. Wellesley and D. T. Howe* 992

Prenatal diagnosis: does it alter outcome?: *D. F. M. Thomas* 1004

Current Awareness in Prenatal Diagnosis 1012

ISSUE NUMBER 12, DECEMBER 2001

Fetal Cytogenetics

Karyotype, phenotype and parental origin in 19 cases of triploidy: *A. Daniel, Z. Wu, B. Bennetts, H. Slater, R. Osborn, J. Jackson, V. Pupko, J. Nelson, G. Watson, C. Cooke-Yarborough and C. Loo* 1034

Management of prenatally detected trisomy 8 mosaicism: *M. M. van Haelst, D. Van Opstal, D. Lindhout and F. J. Los* 1075

Increased fetal nuchal fold leading to prenatal diagnosis of ring chromosome 15: *Y.-H. Liu, S. D. Chang and F.-P. Chen* 1031

Maternal insertion of 18q11.2–q12.2 in 18p11.3 of the same chromosome analysed by microdissection and multicolour banding (MCB): *H. Starke, G. Senger, M. Kossakiewicz, H. Tittelbach, D. Rau, N. Rubtsov, V. Trifonov, A. Heller, I. Hartmann, U. Claussen and T. Liehr* 1049

Fetal Molecular Biology and Biochemistry

First trimester fetal sex determination in maternal serum using real-time PCR: *J.-M. Costa, A. Benachi, E. Gautier, J.-M. Jouannic, P. Ernault and Y. Dumez* 1070

Hydrops fetalis in three male fetuses of a female with incontinentia pigmenti: *A. Dufke, B. Vollmer, H. Kendziorra, S. Mackensen-Haen, U. Orth, T. Orlikowsky and A. Gal* 1019

Fetal Cells in the Maternal Circulation

Significantly higher number of fetal cells in the maternal circulation of women with pre-eclampsia: *M. W. J. C. Jansen, K. Korver-Hakkennes, D. van Leenen, W. Visser, P. A. in 't Veld, C. J. M. de Groot and J. W. Wladimiroff* 1022

Fetal Imaging

Prenatal diagnosis of pyruvate dehydrogenase deficiency using magnetic resonance imaging: *J. N. Robinson, E. R. Norwitz, R. Mulkern, S. A. Brown, F. Rybicki and C. M. C. Tempany* 1053

Invited Commentary: Current Issues in Obstetrics and Genetics

Cystic malformations of the posterior fossa: *J. P. Bernard, G. Moscoso, D. Renier and Y. Ville* 1064

Preimplantation Genetics and Diagnosis

Double locus analysis of chromosome 21 for preimplantation genetic diagnosis of aneuploidy: *M. C. Magli, M. Sandalinas, T. Escudero, L. Morrison, A. P. Ferraretti, L. Gianaroli and S. Munné* 1080

Preimplantation genetic diagnosis (PGD), a collaborative activity of clinical genetic departments and IVF centres: *J. P. M. Geraedts, J. Harper, P. Braude, K. Sermon, A. Veiga, L. Gianaroli, N. Agan, S. Munné, S. Gitlin, E. Blenow, K. de Boer, N. Hussey, E. Kanavakis, S.-H. Lee, S. Viville, L. Krey, P. Ray, S. Emiliani, Y. H. Liu and S. Vermeulen* . . 1086

Preimplantation genetic diagnosis for familial amyloidotic polyneuropathy (FAP): *F. Carvalho, M. Sousa, S. Fernandes, J. Silva, M. J. Saraiva and A. Barros* 1093

Maternal Screening

Effect of fetal gender on first trimester markers and on Down syndrome screening: *Y. Yaron, I. Wolman, M. J. Kupferminc, Y. Ochshorn, A. Many and A. Orr-Urtreger* 1027

Psychosocial Aspects

Descriptive information about Down syndrome: a content analysis of serum screening leaflets: *L. D. Bryant, J. Murray, J. M. Green, J. Hewison, I. Sehmi and A. Ellis* 1057

Letters to the Editor 1100

Current Awareness in Prenatal Diagnosis 1103

Announcement 1110

ISSUE NUMBER 13, DECEMBER 2001

Fetal Cytogenetics

Prenatal diagnosis of trisomy 20 by chorionic villus sampling (CVS): a case report with long-term outcome: *N. S. Warren, S. Soukoup, J. L. King and P. St. J. Dignan* 1111

Multicolour spectral karyotyping for complex chromosomal rearrangements in repeated abortion or congenital anomalies: *M. Tanemura, K. Suzumori, N. Nishikawa and Y. Ishihara* 1123

Prenatal interphase FISH diagnosis of *PLP1* duplication associated with Pelizaeus-Merzbacher disease: *K. Inoue, M. Kanai, Y. Tanabe, T. Kubota, C. D. Kashork, K. Wakui, Y. Fukushima, J. R. Lupski and L. G. Shaffer* 1133

Association between congenital foot anomalies and gestational age at amniocentesis: *G. Yoon, J. Chernos, B. Sibbald, R. B. Lowry, G. Connors, R. Simrose and F. P. Bernier* 1137

The diagnostic performance of cytogenetic investigation in amniotic fluid cells and chorionic villi: *F. J. Los, C. van den Berg, H. I. J. Wildschut, H. Brandenburg, N. S. den Hollander, E. M. Schoonderwaldt, L. Pijpers, R. J. H. Galjaard and D. Van Opstal* 1150

Invited Commentary: Current Issues in Obstetrics and Genetics

Prenatal diagnosis of glutaric acidemias: *S. I. Goodman* 1167

Short Communications

Identification of triploid trophoblast cells in peripheral blood of a woman with a partial hydatidiform molar pregnancy: *I. J. van Wijk, A. C. de Hoon, S. Griffioen, M. A. M. Mulders, M. L. Tjoa, J. M. G. van Vugt and C. B. M. Oudejans* . . 1142

Duplication of chromosome 2 in association with ventriculomegaly — a case report: *W. L. Martin, S. Pretlove, A. Mercer, C. C. Platt, E. Roberts, V. Davison and M. D. Kilby* 1169

Fetal Imaging

Minor sonographic signs of trisomy 21 at 15–20 weeks' gestation in fetuses born without malformations: a prospective study: *E. Viora, G. Errante, S. Bastonero, A. Sciarrone and M. Campogrande* 1163

Short Communications

Dehydrated hereditary stomatocytosis: a cause of prenatal ascites: *S. Grootenboer, C. Barro, T. Cynober, P. O. Schischmanoff, J.-M. Ayoubi, G. Tchernia, J. Delauney and J.-C. Pons* 1114

Split-hand split-foot malformation with paternal mutation in the p63 gene: *I. Witters, H. Van Bokhoven, A. Goossens, F.-A. Van Assche and J.-P. Fryns* 1119

Prenatal diagnosis of hydrocephalus-stenosis of the aqueduct of Sylvius by ultrasound in the first trimester of pregnancy. Report of two cases: *M. V. Senat, J. P. Bernard, A. Delezoide, P. Saugier-Veber, Y. Hillion, J. Roume and Y. Ville* . . 1129

Prenatal diagnosis of kyphomelic dysplasia: *A. Guala, E. Biroli, P. Bassini, G. Botta, D. Licata, G. Di Cara, D. Franceschini and P. Franceschini* 1146

Split notochord syndrome — prenatal ultrasonographic diagnosis: *B. Almog, L. Leibovitch and R. Achiron* 1159

Fetal Therapy

Improvement of mesenteric superior artery Doppler velocimetry by amino-infusion in fetal gastroschisis: *J.-L. Volumenie, P. de Lagausie, J. Guibourdenche, J.-F. Oury, E. Vuillard, C. Saizou and D. Luton* 1171

Letters to the Editor 1175

Announcement 1180

Author Index 1181

Keyword Index 1185

Volume Contents iii